

Scan results for www.coopaltatoscana.it

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Mon Jan 27, 2025




Thank you for making your website accessible and inclusive for all users with disabilities

Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.

Website Exposure



#	Element	Relevant	Successes	Failures	Score
1	Elements that act as buttons but use non-button tags (e.g., span, div, a) should include a role="button" attribute.	Yes	10	0	100

Code snapshots of successful elements

```
1 <a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javasc
ript:void(0);" title="Accessibilità Tool" role="link" > <span class="pojo-sr
-only sr-only">Open toolbar</span> <svg xmlns="http://www.w3.org/2000/svg" v
iewBox="0 0 ...
```

```
2 <button class="e-search-submit " type="submit" > <svg aria-hidden="true" cla
ss="e-font-icon-svg e-fas-search" viewBox="0 0 512 512" xmlns="http://www.w
3.org/2000/svg"><path d="M505 442.7L405.3 343c-4.5-4.5-10.6-7-17-7H372c27.6-
35.3 44-79.7 44-1...
```

```
3 <a href="#" class="elementor-item elementor-item-anchor has-submenu" role="l
ink" id="sm-17379823721062322-1" aria-haspopup="true" aria-controls="sm-1737
9823721062322-2" aria-expanded="false" >Chi siamo<span class="sub-arrow"><sv
g class="fa-svg-chevro...
```

```
4 <a href="#" class="elementor-item elementor-item-anchor has-submenu" role="l
ink" id="sm-17379823721062322-3" aria-haspopup="true" aria-controls="sm-1737
9823721062322-4" aria-expanded="false" >Essere soci<span class="sub-arrow"><
svg class="fa-svg-chev...
```

```
5 <a class="e-n-menu-title-container e-focus e-link" href="#elementor-action%3
Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjYzNjkiLCJ0b2dnbGUiOmZhbHNlfQ%3
D%3D" aria-current="page" role="link" data-focus-index="1" > <span class="e-
n-menu-titl...
```

```
6 <div class="elementor-swiper-button elementor-swiper-button-prev" role="butt
on" tabindex="0" aria-label="Previous slide" aria-controls="swiper-wrapper-3
b3477c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-ch
evron-left" vie...
```

```
7 <div class="elementor-swiper-button elementor-swiper-button-next" role="butt
on" tabindex="0" aria-label="Next slide" aria-controls="swiper-wrapper-3b347
7c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevro
n-right" viewBo...
```

8 ...

10 Open toolbar <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 ...
```

```
2 Chi siamo<svg class="fa-svg-chevron...
```

```
3 Essere soci<svg class="fa-svg-chevron...
```

```
4 <span class="e-n-menu-titl...
```

```
5 <div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" aria-controls="swiper-wrapper-3b3477c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBo...
```

```
6 <div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" aria-controls="swiper-wrapper-3b3477c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo...
```

```
7 ...
```

```
9 <svg aria-hidden="true" class="e-font-icon-svg e-fas-search" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg"><path d="M505 442.7L405.3 343c-4.5-4.5-10.6-7-17-7H372c27.6-35.3 44-79.7 44-1...
```

| # | Element                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | Links should include text that sets expectations about the page they lead to. If empty links are used as layout wrapping elements, provide a description using screen-reader only text or an "aria-label" attribute. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. | No       | 0         | 0        |       |

| # | Element                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | An H1 heading provides information to screen-reader users about the main topic of the page. Each page should have exactly one H1 heading. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | HTML heading elements (h1-h6) should contain text content. If they include images or links, those elements must provide alternative text or screen-reader-only text. | Yes      | 7         | 0        | 100   |

| # | Element                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | Elements that visually function as headings but are not coded with a heading tag should include a role="heading" attribute or be updated to use the correct heading tag | No       | 0         | 0        |       |

| # | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | Heading levels should not be skipped and must follow a consistent hierarchy. For example, you should not use h2 and h4 headings without including an h3 in between. | Yes      | -         | Fail     | 0     |

#### Code snapshots of failed elements

1 `<h1></h1>`

2 `<h3></h3>`

3 `<h4></h4>`

| # | Element                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

```
1 <div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" aria-controls="swiper-wrapper-3b3477c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBo...
```

```
2 <div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" aria-controls="swiper-wrapper-3b3477c1f6ade234" > <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo...
```

| #  | Element                                                                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes      | Pass      | -        | 100   |



| #  | Element                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Active popups should include <code>aria-modal="true"</code> and <code>role="dialog"</code> attributes to help screen-reader users navigate them effectively. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | Each page should include hidden skip links that allow users (via keyboard or screen reader) to bypass certain blocks and navigate directly to main landmarks like the main content, menu, or footer. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

1 `<a id="pojo-a11y-skip-content" class="pojo-skip-link pojo-skip-content" tabindex="1" accesskey="s" href="#content" role="link" >Skip to content</a>`

2 `<a class="skip-link screen-reader-text" href="#content" role="link" >Vai al contenuto</a>`

| #  | Element                                                                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 13 | Elements hidden using CSS (e.g., <code>opacity</code> , <code>height</code> , <code>text-indent</code> , <code>off-canvas</code> ) should include an <code>aria-hidden</code> attribute set to <code>"true"</code> when hidden and dynamically updated to <code>"false"</code> when they become visible. | Yes      | Pass      | -        | 100   |

| #  | Element                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 14 | Elements hidden using CSS (e.g., opacity, height, text-indent, off-canvas) should have a tabindex attribute set to less than 0 and be dynamically updated to 0 when they become visible. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 15 | Menus should be built using the HTML5 "nav" element or include a "role" attribute set to "menu" or "navigation" to indicate a navigation landmark for screen readers. | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

1 `<nav aria-label="Menu" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-none"> <ul id="menu-1-6b0fbc7" class="elementor-nav-menu" data-smartmenus-id="17379823721062322" ><li class="men...`

2 `<nav class="e-n-menu" data-widget-number="510" aria-label="Menu" data-touch-mode="false" data-layout="horizontal"> <button class="e-n-menu-toggle" id="menu-toggle-510" aria-haspopup="true" aria-expanded="false" aria-controls="menubar-510" aria-l...`

| #  | Element                                                                           | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 16 | Menu items that have a dropdown should include an aria-haspopup="true" attribute. | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

```
1 Chi siamo<svg class="fa-svg-chevro...
```

```
2 Essere soci<svg class="fa-svg-chev...
```

| #  | Element                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 17 | Menu items that have a dropdown should include an "aria-expanded" attribute set to "false" by default, which changes to "true" when the dropdown is opened, and back to "false" when closed. | Yes      | 2         | 0        | 100   |

### Code snapshots of successful elements

```
1 Chi siamo<svg class="fa-svg-chevron...
```

```
2 Essere soci<svg class="fa-svg-chevron...
```

| #  | Element                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes      | 0         | 8        | 0     |

### Code snapshots of failed elements

1 `<path d="M505 442.7L405.3 343c-4.5-4.5-10.6-7-17-7H372c27.6-35.3 44-79.7 44-128C416 93.1 322.9 0 208 0S93.1 0 208s93.1 208 208 208 20...
```

```
2 <span > </span>
```

```
3 <svg aria-hidden="true" class="e-font-icon-svg e-fas-user-circle" viewBox="0 0 496 512" xmlns="http://www.w3.org/2000/svg" ><path d="M248 8C111 8 0 119 0 256s111 248 248 248 248-111 248-248S385 8 248 8zm0 96c48.6 0 88 39.4 88 88s-39.4 88-88 88 88-88-39....
```

```
4 <svg aria-hidden="true" class="e-font-icon-svg e-fas-bars" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M16 132h416c8.837 0 16-7.163 16-16V76c0-8.837-7.163-16-16-16H16C7.163 60 0 67.163 0 76v40c0 8.837 7.163 16 16 16zm0 160h416c...
```

```
5 <svg class="fa-svg-chevron-down e-font-icon-svg e-fas-chevron-down" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M207.029 381.476L12.686 187.132c-9.373-9.373-9.373-24.569 0-33.941l22.667-22.667c9.357-9.357 24.522-9.375 33.901-.0...
```

```
6 <svg class="e-font-icon-svg e-eicon-menu-bar" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M104 333H896C929 333 958 304 958 271S929 208 896 208H104C71 208 42 237 42 271S71 333 104 333ZM104 583H896C929 583 958 554 958 521S929 4...
```

```
7 <svg class="e-font-icon-svg e-eicon-close" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M742 167L500 408 258 167C246 154 233 150 217 150 196 150 179 158 167 167 154 179 150 196 150 212 150 229 154 242 171 254L408 500 167 742C1...
```

```
8 <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-left" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M646 125C629 125 613 133 604 142L308 442C296 454 292 471 292 487 292 504 296 521 308 533L604 854C617 867 629 875...
```

```
9 <svg aria-hidden="true" class="e-font-icon-svg e-eicon-chevron-right" viewBo x="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" ><path d="M696 533C708 521 713 504 713 487 713 471 708 454 696 446L400 146C388 133 375 125 354 125 338 125 325 129 313 14...
```

```
10 <span class="swiper-notification" aria-live="assertive" aria-atomic="true" ></span>
```

Code snapshots of failed elements

```
1 <svg class="e-font-icon-svg e-fas-map-marker-alt" viewBox="0 0 384 512" xmln s="http://www.w3.org/2000/svg" ><path d="M172.268 501.67C26.97 291.031 0 269.413 0 192 0 85.961 85.961 0 192 0s192 85.961 192 192c0 77.413-26.97 99.031 -172.268 309.67-9.535 1...
```

```
2 <span class="elementor-icon-list-text" ></span>
```

```
3 <span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

```
4 <svg style="display: none;" class="e-font-icon-svg-symbols" ></svg>
```

#	Element	Relevant	Successes	Failures	Score
21	Figure elements used to display images should have a role="none" attribute, and the image itself should provide a description using the "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Each "area" element within a map tag should have an "alt" attribute that provides an alternative text description, similar to standard images.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracking pixel images (used for analytics or marketing) should include a role="none" or role="presentation" attribute to exclude them from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should include either an "aria-label" attribute or an associated "label" element to describe the field's purpose (e.g., email, phone, name).	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <input id="search-f2e5c71" placeholder="" class="e-search-input no-icon-label no-icon-clear" type="search" name="s" value="" autocomplete="on" role="combobox" aria-autocomplete="list" aria-expanded="false" aria-controls="results-f2e5c71" aria-haspopu...
```

#	Element	Relevant	Successes	Failures	Score
25	Form elements must have unique IDs to ensure that their corresponding labels provide accurate information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include <code>aria-required="true"</code> to inform screen-reader users of the field's validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	aria-describedby and aria-labelledby attributes should reference the ID of an element that either has a text description or an "aria-label" attribute.	Yes	4	1	80

Code snapshots of successful elements

```
1 <ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17379823721062322-2" role="group" aria-hidden="true" aria-labelledby="sm-17379823721062322-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
2 <ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17379823721062322-4" role="group" aria-hidden="true" aria-labelledby="sm-17379823721062322-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
3 <ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17379823721083875-2" role="group" aria-hidden="true" aria-labelledby="sm-17379823721083875-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
4 <ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17379823721083875-4" role="group" aria-hidden="true" aria-labelledby="sm-17379823721083875-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

Code snapshots of failed elements

```
1 <div class="e-n-menu-wrapper" id="menubar-510" aria-labelledby="menu-toggle-510" style="--stretch-width: 1920px; --stretch-left: -711.109375px; --n-menu-dropdown-content-box-height: 0;"> <ul class="e-n-menu-heading" > <li class="e-n-menu-...
```

#	Element	Relevant	Successes	Failures	Score
28	Search forms should include a role="search" attribute or be wrapped in an element with this role to indicate a search landmark for screen-readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <search class="e-search" role="search"> <form class="e-search-form" action="https://www.coopaltatoscana.it" method="get"> <label class="e-search-label" for="search-f2e5c71" > <span class="elementor-screen-only" > Cerca </s...
```

#	Element	Relevant	Successes	Failures	Score
29	All forms should include a submission button built as an input type="submit" or a "button" element, or have a role="button" attribute. The button can be hidden if the form supports submission via the Enter key.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <form class="e-search-form" action="https://www.coopaltatoscana.it" method="get"> <label class="e-search-label" for="search-f2e5c71" > <span class="elementor-screen-only" > Cerca </span> </label> <div class="e-s...
```

#	Element	Relevant	Successes	Failures	Score
30	The validity status of each form element must be represented using the "aria-invalid" attribute with "true" or "false" values, and should update dynamically as the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag in the head section should be present and describe the current webpage accurately. This title appears in the browser tab, search engine results, and helps screen-reader users understand the page's content.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <title>Home - COOP ALTA TOSCANA soc. coop.va</title>
```

#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute representing the main language of the webpage to help screen-readers provide accurate pronunciation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="it-IT"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/11"> <meta name="robots" content="index, follow, max-image-preview:large, max-sni...
```

#	Element	Relevant	Successes	Failures	Score
33	The viewport meta tag should enable vision-impaired users to pinch-zoom to at least twice the standard size by including user-scalable="yes" and maximum-scale=2 (or higher) in the content attribute.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
34	Landmarks like main content and footer should use their corresponding HTML5 elements (<main>, <footer>) or include an "aria-label" and "role" attribute (e.g., role="main" or role="contentinfo"). Landmarks like search and navigation are covered elsewhere.	Yes	2	1	67

Code snapshots of successful elements

```
1 <main id="content" class="site-main post-20 page type-page status-publish he
ntry"> <div class="page-content"> <div data-elementor-type="wp-page" data-el
ementor-id="20" class="elementor elementor-20" data-elementor-post-type="pag
e"> <div c...
```

Code snapshots of failed elements

```
1 <div data-elementor-type="footer" data-elementor-id="51" class="elementor el
ementor-51 elementor-location-footer" data-elementor-post-type="elementor_li
brary"> <div class="elementor-element elementor-element-c10b51b e-flex e-con
-boxed e-con e-pare...
```

#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 11px to ensure readability across most font families. This requirement should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set below -1px to maintain readability across most font families. This should also be verified when using dynamic units like REM or percentages.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
37	Text elements should meet a minimum contrast ratio of 4.5:1 between the foreground (text color) and the background.	Yes	52	3	95

Code snapshots of successful elements

```
1 <span class="pojo-a11y-toolbar-text">Incrementa il testo</span>
```

```
2 <span class="pojo-a11y-toolbar-text">Decrementa il testo</span>
```

```
3 <span class="pojo-a11y-toolbar-text">Scala di Grigi</span>
```

```
4 <span class="pojo-a11y-toolbar-text">Alto Contrasto</span>
```

```
5 <span class="pojo-a11y-toolbar-text">Contrasto Negativo</span>
```

```
6 <span class="pojo-a11y-toolbar-text">Sfondo Chiaro</span>
```

```
7 <span class="pojo-a11y-toolbar-text">Links sottolineati</span>
```

```
8 <span class="pojo-a11y-toolbar-text">Carattere leggibile</span>
```

```
9 <span class="pojo-a11y-toolbar-text">Reset</span>
```

```
10 <span class="pojo-a11y-toolbar-text">Sitemap</span>
```

Code snapshots of failed elements

```
1 <span class="elementor-button-text">Pannello amministrativo</span>
```

```
2 <span class="elementor-button-text">Gestione cv</span>
```

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute (e.g., carousel or slider) to indicate their functionality. They should also be marked as a landmark for screen-readers with a role="contentinfo" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is treating carousels as live regions using the "aria-live" attribute with "polite" or "assertive" values. This can cause screen readers to cut off or skip important announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Tables used for layout purposes should include a role="presentation" attribute to indicate to screen-readers that it is not a data table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables without a thead row containing th elements should use the role="rowheader" attribute on td elements in the tr that visually represent the table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (e.g., a previous price on sale items) should include an "aria-label" attribute or a screen-reader only text to indicate that it is deleted.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	The main element of breadcrumbs should include a role="navigation" attribute and an "aria-label" to describe its functionality.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	An accessibility interface allows visually-impaired users to adjust UI elements like font size, colors, and spacing to suit their needs. While not a compliance requirement, it can help improve accessibility compliance.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or "aria-label" attribute that explains their purpose, functionality, or destination. If irrelevant, they should be hidden from screen readers.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <iframe tabindex="-1" role="presentation" aria-hidden="true" title="Blank" src="https://consentcdn.cookiebot.com/sdk/bc-v4.min.html" style="position: absolute; width: 1px; height: 1px; top: -9999px;" ></iframe>
```